Pavement Maintenance Proposal

Winston Towers 100 Association INC

Lev Solodovnik

Project:

Winston Towers 100 - Paving Project

100 174th St Sunny Isles Beach, FL 33160



Ronnie Sagman Senior Account Manager

Your Pavement Contractor

Company Info

Contact Person



Atlantic Southern Paving and Sealcoating 6301 W Sunrise Blvd Sunrise, FL 33313

P: 954-581-5805 F: 954-581-0465 http://www.atlanticsouthernpaving.com Ronnie Sagman Senior Account Manager ronnie@atlanticsouthernpaving.com Cell: 954-214-1844 Office 954-581-5805 Ext 209

About Us

We Solve Problems and Make Complicated Simple!

We understand that as a manager, owner or investor of properties all over the United States, you need a partner to develop a strategic plan that will preserve your investment for the long term for the least amount of money.

Atlantic Southern Paving & Sealcoating provides pavement design, maintenance & construction services to the residential, commercial, recreational and industrial markets throughout the United States.

Please find the enclosed proposal and do not hesitate to call us with any questions.

Watch a Video About Us: CLICK HERE

FDOT Certified Contractor

Proposal: Winston Towers 100 - Paving Project



Asphalt Paving - Striping

- 1. The area under consideration for paving comprises of 2,200 square feet.
- 2. There exist one new paving area.
- 3. We will excavate repair area to a depth of 9.5 Inches. We will remove all materials from site.
- 4. Install and compact tons of limestone rock.
- Pavement Installation: Apply DOT approved tack coat to promote adhesion between existing asphalt base and new hot asphalt.
- 6. Pavement Installation: Apply DOT approved hot mix asphalt at 2 inches compacted to an average 1.5 inches.
- 7. Compaction: Rolling and compaction of asphalt using 3-5 ton Vibratory Roller.
- 8. Compaction: Rolling of entire new asphalt pavement with Rubber Tire Traffic Roller.
- 9. **Barricading**: All areas will be barricaded before, during and after the project. It is the owner's responsibility to make sure all barricades remain effective after our crews leave the jobsite.
- Stripe 15 new parking spaces with car stops with stencils Deliver and install 15 new concrete car stops

Total Price: \$22,649.00

Concrete Curb Installation

- 1. There exist 1 areas in need of repair.
- 2. Pour and finish type Mod D 12"x6" curbing, up to 220 LF using 3,000 psi concrete.
- 3. All areas will be barricaded before, during and after this project.

Total Price: \$5,168.00

NOTE

1. This proposal and drawing are conceptual and budget numbers pending engineering drawings



New Paving & Curb Areas



Notes:



Paving area



Notes:

Price Breakdown: Winston Towers 100 - Paving Project

ATLANTICSOUTHERN
PAVING AND SEAL COATING

Please find the following breakdown of all services we have provided in this proposal.

This proposal originated on July 07, 2022.

Item	Description		Cost
1.	Asphalt Paving - Striping		\$22,649.00
2.	Concrete Curb Installation		\$5,168.00
		Total:	\$27 817 00

Authorization to Proceed & Contract

The above prices, specifications and conditions are hereby accepted. You are authorized to do the work as specified. Payment will be made as outlined. When signed, this document becomes a contract. E&OE

We understand that if any additional work is required different than what is stated in this proposal/contract, it must be in a new contract or added to this contract. The parties also acknowledge that the time for performance of the work may be impacted by market conditions beyond contractor's control in which event the contract time shall be extended.

Please see all attachments for special conditions that may pertain to aspects of this project.

This price of this contract is based upon completion of the work within thirty days from the date hereof, thus the price is good for a period of up to 30 days from the date listed herein. If the work is not completed within thirty days, and the contractor experiences price increases for materials in excess of those upon which the price of this contract were based as of the date hereof, the contract price shall be increased by the amount of the documented price increase.

Acceptance

We agree to pay the total sum or balance in full upon completion of this project.

40% deposit upon contract.

(A signed proposal and deposit are required prior to scheduling of the work)

Date:

Worman Pecal

Winston Towers 100 Association INC

250 174th St

Sunny Isles Beach, FL 33160

Abi Scholde Gerallebrick

th St

social loc

Ronnie Sagman | Senior Account Manager Atlantic Southern Paving and Sealcoating

6301 W Sunrise Blvd Sunrise, FL 33313

E: ronnie@atlanticsouthernpaving.com

C: 954-214-1844

OFFICE @ WIN STONTOURUS 100, NOP: 954-581-5805 Ext 209

F: 954-581-0465

http://www.atlanticsouthernpaving.com

305-407-0914 Slave Butlik The TRESURE 07.08.22

Additional Info: Winston Towers 100 - Paving Project



Contract Terms & Conditions

- The owner is responsible to notify all landscapers and garbage companies to not show on the area of work the day
 we are performing work. In the event of a reschedule due to unforeseen conditions, you are required to let all service
 providers know about the change.
- 2. 90% of contract amount and change orders must be paid prior to completing punch list items and/or any changes for additional work required by cities or municipalities.
- 3. It is understood and agreed that all work is performed "weather permitting".
- 4. Towing fees, if necessary, billed as actual. Any vehicles left in the construction area at commencement of the work will be relocated on site and billed to the Owner/Authorized Agent
- 5. Permit fees billed as actual. Processing fees billed in addition to the cost of permit: \$525

This proposal does not include the cost of permit fees, inspection fees or impact fees which may be required from the various agencies or municipalities having jurisdiction. If Owner/Authorized Agent directs this work to be completed without required permitting, all costs including, but not limited to, fees, expediting and fines are the responsibility of the Owner/Authorized Agent.

- 6. Change orders, additions or extras requested by Owner, Contractor or Municipality will be invoiced as an addition to the contract and shall not delay payment of the original contract sum. All Change Orders must be approved and signed by Management/Board President/Building Owner (whichever applies.)
- 7. Atlantic Southern Paving & Sealcoating, LLC will not be responsible for paint adhesion to car stops that have notbeen pressured cleaned.
- 8. Cannot guarantee sealcoat longevity where there is standing water. Cracks in pavement will still be noticeable after sealcoating. Tire turning marks will be visible at first, but will disappear over time.
- 9. Additional mobilization(s) to be billed at \$1,500 each for **Sealcoating.** This charge may be billed due to, but not limited to: site unavailability for commencement of the work due to vehicles encroaching on the work area, change of schedule by Owner/Authorized Agent without prior consent of contractor or repairs to work caused by tresspassing.
- 10. Line Striping: If there are existing car stops on the property, the new line striping of the parking stalls will not be installed beyond the car stop(s) unless they are removed. The striping machine cannot fit between the car stops. If you would like the existing car stops removed during the striping phase, there will be additional costs associated with this scope of work. It is the owner's responsibility to inform ASP if this is desired prior to commencement of the project.
- 11. **Asphalt Repairs/Paving:** If the actual asphalt is determined to be thicker than the proposed depth once the area(s) are excavated, ASP will provide photo documentation showing the additional depth and a change order will be sent to ownership for the additional material.
- 12. Additional mobilization(s) to be billed at \$1,500 each for **Concrete Services.** This charge may be billed due to, but not limited to: site unavailability for commencement of the work due to vehicles encroaching on the work area, change of schedule by Owner/Authorized Agent without prior consent of contractor or repairs to work caused by tresspassing.
- 13. Additional mobilization(s) to be billed at \$5,000 each for **Paving**. This charge may be billed due to, but not limited to: site unavailability for commencement of the work due to vehicles encroaching on the work area, change of schedule by Owner/Authorized Agent without prior consent of contractor or repairs to work caused by trespassing. Atlantic Southern Paving will provide a schedule to be approved by Owner prior to any additional mobilizations
- 14. Atlantic Southern Paving & Sealcoating, LLC cannot guarantee 100% drainage in areas where the design grade is less than 1% fall.
- 15. ATLANTIC SOUTHERN PAVING & SEALCOATING, LLC will not accept responsibility for reflective cracking of new asphalt overlay due to the cracked condition of the existing asphalt pavement.
- 16. Owner agrees to pay asphalt over-runs at \$125.00 per ton.
- 17. Pricing does not include asphalt leveling unless stated otherwise in the original scope of work. Owners agrees to leveling at \$185.00 per ton
- 18. Crack Sealing: Hairline cracks, alligatored or spider web cracks or other failing asphalt areas cannot and will not be crack sealed. Crack sealing is designed to keep water out, not in, so ground water is subject to seep from wet areas.
- 19. All underground utilities including electrical, plumbing and irrigation lines if damaged or broken are the responsibilityof

Proposal: Winston Towers 100 - Paving Project



- the owner and not Atlantic Southern paving. If Atlantic Southern Paving needs to repair damages, the costs will be billed to the owner as a change order.
- 20. Atlantic Southern Paving and Sealcoating, LLC will not be responsible for trafficking, paint tracking or damage to cars or persons trespassing in designated construction areas.
- 21. Plans, engineering, layout, testing, bonds and as-builts by others.
- 22. The prices used in this proposal are based on the condition that all work quoted will be accepted in total.
- 23. This proposal, including all terms and conditions, shall become a legally binding attachment to any contract entered into between Atlantic Southern Paving & Sealcoating, LLC and the financially responsible company for which the work will be performed.
- 24. In the event of a dispute regarding this contract, the prevailing party agrees to pay reasonable attorney fees, collection costs and all related costs incurred until such dispute is settled.
- 25. Atlantic Southern Paving & Sealcoating, LLC will add a 1½% finance charge to any unpaid proper invoice past due at least (30) thirty days.
- 26. This proposal is based on work being completed during the hours of 8:00AM and 5:00PM, Monday through Thursday, excluding Friday, holidays and weekends.
- 27. **Asphalt Price Index:** Proposal is based on the current price of liquid asphalt. If there is a price increase in liquid asphalt, there will be additional charge for the difference.
- 28. No warranties are honored unless payment is made in full. Atlantic Southern Paving and Sealcoating will provide a one (1) year warranty, starting on last day of substantial completion, on materials and workmanship. Normal wear and tear is not covered under this warranty.

Sealcoating Commercial | Owners Resp & Conditions

- 1. Barricaded Parking Lot: It is vital that all vehicles are removed from our area of work no later than 7:15 am, unless otherwise agreed. As you can imagine, our project costs are based on the property having all cars, people and objects off the area of work. Tow Trucks need to be arranged 5 days prior to the start of any work and must be on call to remove cars from the scheduled work zone. If any cars are left on the area of work, we cannot be held responsible for any damage to the vehicles. There will be additional costs if we are unable to access the work area billed at a minimum of (\$1500 for Sealcoating)
- 2. **Cleaning:** Customer is responsible for any "heavy cleaning"; otherwise Atlantic Southern Paving & Sealcoating, LLC will bill for this additional cleaning.
- 3. Cracking: cracks in pavement will still be noticeable after Sealcoating
- 4. Lawn Fertilization: should not be installed seven days before or after service.
- 5. Rain: If it's raining the day of scheduled service, assume we aren't coming and we will contact you to reschedule as soon as possible. If it rains after our installation, please contact your representative. We monitor the weather closely and can generally predict this very well. In the event that an unexpected storm happens, we will touch up any areas where sealer has not bonded.
- 6. **Sprinklers:** should be off 24 hours prior until 48 hours after service. Avoid lawn cutting during this same period of time. The surface must be dry for our arrival. Areas where the newly sealed pavement is wet may wear prematurely.
- 7. Pavement Sealer: will take a minimum of 30 days to fully cure and is sensitive to animal droppings, tree droppings; water stains from irrigation systems, ponding water & tire markings during this time. This is normal and no reason to be concerned, it will fade over time. Areas of shade will take longer to dry and cure then areas in the direct sunlight.
- 8. **Driving on Surface:** Once you start driving on sealed surface, avoid turning your wheels unless your car is moving. We understand this may be difficult to do, but understand that when wheels are turned on a freshly sealed parking lot, scuffing and turn marks wil be evident, no worries in time they will blend in with surrounding surface.
- 9. **Overspray on Grass:** where grass meets your pavement, you may expect a small "drift spray" of pavement sealer. This is normal and will disappear generally after the next mowing.
- 10. Weeds: It is important to note that we have proposed all work at the time of the assessment. If you decide to do work 3 months after we look at the project, if your parking area has developed excessive weeds in the cracked areas as well as the edge lines for any reason, there may be additional costs for treatment & removal.

Proposal: Winston Towers 100 - Paving Project



Paving Commercial | Owner Responsibility & Conditions

- 1. Barricaded Parking Lot: It is vital that all vehicles are removed from our area of work no later than 7:15 am, unless otherwise agreed. As you can imagine, our project costs are based on the property having all cars, people and objects off the area of work. Tow Trucks need to be arranged 5 days prior to the start of any work and must be on call to remove cars from the scheduled work zone. If any cars are left on the area of work, we cannot be held responsible for any damage to the vehicles. There will be additional costs if we are unable to access the work area billed at a minimum of (\$5,000 for Paving)
- Site Services: The property is responsible to notify all landscapers and garbage companies to not show on the area of work the day we are performing work. In the event of a reschedule due to unforseen conditions, you are required to let all service providors know about the change.
- 3. Rain: If it's raining the day of scheduled service, assume we aren't coming and we will contact you to reschedule as soon as possible. If it rains after our installation, please contact your representative. We monitor the weather closely and can generally predict this very well. In the event that an unexpected storm happens, we will touch up any areas where sealer has not bonded.
- 4. **Sprinklers:** should be off 24 hours prior until 48 hours after service. Avoid lawn cutting during this same period of time. The surface must be dry for our arrival. Areas where the newly sealed pavement is wet may wear prematurely.
- 5. **Drainage:** Atlantic Southern Paving and Sealcoating cannot guarantee 100% drainage in areas where the design grade is less than 1% fall.
- 6. Asphalt Over-Runs: will be billed to owner at \$125.00 per ton.
- Pricing does not include asphalt leveling unless stated otherwise in the original scope of work. Owners agrees to leveling at \$185.00 per ton.
- 8. **Reflective Cracking:** Atlantic Southern Paving and Sealcoating will not accept responsibility for reflective cracking of new asphalt overlay due to the cracked condition of the existing asphalt pavement
- 9. **Asphalt Price Index:** Proposal is based on the current price of liquid asphalt. If there is a price increase in liquid asphalt, there will be additional charge for the difference.
- 10. De-mucking and removal of unsuitable materials not included.
- 11. Driving on Surface: Once you start driving on paved/sealed surface, avoid turning your wheels unless your car is moving. We understand this may be difficult to do, but understand that when wheels are turned on a freshly paved/sealed asphalt surface, scuffing and turn marks wil be evident, no worries in time they will blend in with surrounding surface.



Please click any of the links below to view and print all documents.

Company Attachments

COI 2022